



# EDT Hercules

DPII Multi-Purpose Support Vessel (MPSV)



Shipmanagement



TYPE	DPII MULTI-PURPOSE SUPPORT VESSEL (MPSV)
DESIGN	ULSTEIN X-BOW PX 105
OWNER	FOKIDA SHIPPING COMPANY LIMITED
OPERATOR	EDT SHIPMANAGEMENT LTD
BUILT	2014, CONSTRUCCIONES NAVALES DEL NORTE
FLAG	CYPRUS
CALL SIGN	5BAM4

SPC-CHART-005 EDT Hercules Specifications Sheet  
Revision 2.0  
Issue Date: 05.07.2019  
Document Owner: Chartering Manager

**Uncontrolled when printed or not viewed as the controlled online version.**



# EDT Hercules

DPII Multi-Purpose Support Vessel (MPSV)



Shipmanagement

## GENERAL INFORMATION

<b>Classification</b>	DNV +1A1 ICE-C SPS SF LFL* COMF-V(3) E0 DYNPOS-AUTR NAUT-OSV(A) CLEAN DESIGN DK(+) HL(2.8)
<b>IMO Number</b>	9491422
<b>MMSI Number</b>	210776000
<b>Operation</b>	World Wide
<b>Endurance</b>	45 days plus
<b>Maximum Speed</b>	About 15 knots

## DIMENSIONS

<b>Gross Tonnage</b>	4964	<b>Breadth Moulded</b>	19.0 m
<b>Net Tonnage</b>	1490	<b>Depth to Main Deck</b>	8.0 m
<b>Deadweight</b>	3625.2 t	<b>Draft</b>	6.6 m
<b>Length Overall</b>	88.8 m	<b>Freeboard max draft</b>	1.4 m

## TANK CAPACITIES & DISCHARGE RATES

<b>Marine Diesel</b>	1076.4 m <sup>3</sup>	2 pumps @ 50-250 m <sup>3</sup> / hour each
<b>Fresh Water</b>	970 m <sup>3</sup>	2 pumps @ 250 m <sup>3</sup> / hour each
<b>Ballast / Drill Water</b>	1851.3 m <sup>3</sup>	2 pumps @ 250 m <sup>3</sup> / hour each
<b>Liquid Mud</b>	580.8 m <sup>3</sup>	2 pumps @ 100 m <sup>3</sup> / hour each
<b>Brine (MEG) (SG 2.8)</b>	470 m <sup>3</sup>	2 pumps @ 75-125 m <sup>3</sup> / hour each (Depending on Density)
<b>Dry Bulk (6 tanks)</b>	396.7 m <sup>3</sup> bar	1 Duplex BHS Compressor Capacity 2 x 30 m <sup>3</sup> / min @ 5.6 bar
<b>LFL (4 tanks)</b>	292.3 m <sup>3</sup>	4 pumps @ 100 m <sup>3</sup> / hour each
<b>Base Oil</b>	216 m <sup>3</sup>	1 pump @ 150 m <sup>3</sup> / hour
<b>Foam</b>	400 litres	

## DP SYSTEM

<b>DP System</b>	Kongsberg K- POS DP-21
<b>Notation</b>	Class II DNV Notation: DYNPOS (Autr)
<b>Portable Joystick</b>	C-Joy Kongsberg
<b>Differential GPS Reference systems</b>	1 x Kongsberg DPS 132 + 1 x Kongsberg DPS 232 interfaced with Veripos LD5 x 2 DGPS
<b>Laser Reference System</b>	1 x Kongsberg CyScan
<b>Radius</b>	Kongsberg Radius 1000
<b>USBL</b>	HiPAP Kongsberg 500 HiPAP Kongsberg 501
<b>Taut Wire</b>	Bandak LTW MK15B
<b>Gyros</b>	3 x Anschutz Standard 22

SPC-CHART-005 EDT Hercules Specifications Sheet  
Revision 2.0  
Issue Date: 05.07.2019  
Document Owner: Chartering Manager

**Uncontrolled when printed or not viewed as the controlled online version.**



# EDT Hercules

DPII Multi-Purpose Support Vessel (MPSV)



Shipmanagement

## DECK EQUIPMENT

<b>Deck Load</b>	1430 t @ 10t/m2
<b>Deck Area</b>	608 m2 Clear Deck (38.00 m x 16.00 m)
<b>Main Crane—fully AHC</b>	Main line - 70 t AHC @ 21.0 m (with 2000 m wire) Whip line – 10 t AHC @ 34.0 m (400 m wire) (personnel lift)
<b>Provision Crane</b>	2 t @ 17 m
<b>Tugger Winch</b>	1 x 10 t pull
<b>Capstan</b>	2 x 10 t pull @ 25 m/min
<b>2 x ROV Hangars</b>	5.6 L x 8.9 B x 10.9 H (each)

## PROPULSION & MACHINERY

<b>Main Engines—Generators</b>	4 x Wartsila 9L20
<b>Main Propellers</b>	2 x Schottel SCD 2020 Azimuth @ 2,500 kW each
<b>Auxiliary Generators</b>	2 x Cummins 300 ekW each
<b>Emergency Generator</b>	1 x Cummins 150 ekW
<b>Bow Thrusters</b>	1 x Brunvoll Tunnel @ 1,200 kW 1 x Brunvoll Retractable Azimuth @ 850 kW
<b>Total Electrical Power</b>	4 x 1580 ekW

## NAVIGATION

<b>Radars</b>	2 x Sam Electronics (1 X S-Band + 1 x X-Band)
<b>AIS</b>	Atlas – Debeg 3400
<b>Gyro Compass</b>	3 x Anschutz Standard 22
<b>Track Pilot</b>	Sam Electronics 1100
<b>Echosounder</b>	Furuno Navigational FE – 700
<b>Speed Log</b>	Furuno DOPPLER LOG DS80
<b>Chart Pilot</b>	Sam Electronics 1100
<b>Doppler Log</b>	Furuno DS-80

## ACCOMMODATION

<b>Total Accommodation</b>	71 bunks
<b>Client Facilities</b>	Project office, Offline room, ROV Control room, client and conference room.
<b>Other Facilities</b>	Mess room, recreation rooms (2), changing room, gym and sauna.
<b>Incinerator</b>	Installed

## COMMUNICATION

<b>Primary</b>	V-sat - K-Band ( <i>adaptable to client requirements</i> )
<b>Secondary</b>	Iridium Open Port
<b>GMDSS</b>	As Per GMDSS A1, A2 and A3

T: +357 25 899000

[chartering@edtoffshore.com](mailto:chartering@edtoffshore.com)

\* While EDT strives to make the information on this document as accurate as possible, it makes no claims, promises, or guarantees about the accuracy, completeness, or adequacy of the contents and expressly disclaims liability for errors and omissions.

SPC-CHART-005 EDT Hercules Specifications Sheet  
Revision 2.0  
Issue Date: 05.07.2019  
Document Owner: Chartering Manager

**Uncontrolled when printed or not viewed as the controlled online version.**