



# EDT Argonaut

Offshore Supply / Survey Support



Shipmanagement



TYPE	OFFSHORE SUPPLY / SURVEY SUPPORT
OWNER	SUPPORT OFFSHORE MARINE SERVICES LIMITED
OPERATOR	EDT SHIPMANAGEMENT LTD
BUILT	1979, SIMEK, NORWAY / LENGTHENED 1998
FLAG	CYPRUS
CALL SIGN	P3ES7

SPC-CHART-003 EDT Argonaut Specifications Sheet  
Revision 2.0  
Issue Date: 05.07.2019  
Document Owner: Chartering Manager

**Uncontrolled when printed or not viewed as the controlled online version.**



# EDT Argonaut

Offshore Supply / Survey Support



Shipmanagement

## GENERAL INFORMATION

<b>Classification</b>	DNVGL 100 A5 Offshore Supply Vessel MC
<b>IMO Number</b>	7810131
<b>MMSI Number</b>	212230000
<b>Operation</b>	World Wide
<b>Endurance</b>	9,500 miles (45 days)
<b>Maximum Speed</b>	About 10.5 knots

## DIMENSIONS

<b>Gross Tonnage</b>	387
<b>Net Tonnage</b>	116
<b>Deadweight</b>	471.5
<b>Length Overall</b>	41.65m
<b>Breadth Moulded</b>	9.20m
<b>Depth to Main Deck</b>	4.20m
<b>Draft</b>	3.67m
<b>Freeboard max draft</b>	0.53m

## TANK CAPACITIES & DISCHARGE RATES

<b>Marine Diesel</b>	136m <sup>3</sup>	<i>Discharge rate 14.1m<sup>3</sup> / hour</i>
<b>Fresh Water</b>	36.4m <sup>3</sup>	
<b>Ballast</b>	61.5m <sup>3</sup>	

## DECK EQUIPMENT

<b>Under Deck Hold</b>	18m x 8m, 2.62 m high
<b>Deck Area</b>	198m <sup>3</sup> (22.5 m x 8.82 m) <i>(able to load 4 x 20" containers)</i>
<b>Hatch Opening</b>	2 hatches @ 7m x 2.8m each Able to accommodate 2 x 20 feet containers of 8 feet high
<b>Hold Capacities</b>	377m <sup>3</sup>
<b>Capstan</b>	2 X Brattvaag Hydraulic SWL 6 tons
<b>Deck Crane</b>	7.7t @ 9.7m
<b>A-Frame</b>	4.2 Hydraulic – 4.2 t SWL <i>(when fitted)</i>
<b>Deck Cargo Capacity</b>	70t
<b>Dacon Scoop</b>	Available on request

## TOWING EQUIPMENT

<b>Towing Winch</b>	Brattvaag Hydraulic SL 12 50 t Breaking Power Inner Layer 25 t Breaking Power Outer Layer
<b>Bollard Pull</b>	12 t
<b>Stern Roller</b>	6m with 6 t SWL

SPC-CHART-003 EDT Argonaut Specifications Sheet  
Revision 2.0  
Issue Date: 05.07.2019  
Document Owner: Chartering Manager

**Uncontrolled when printed or not viewed as the controlled online version.**



# EDT Argonaut

Offshore Supply / Survey Support



Shipmanagement

## PROPULSION / MACHINERY

<b>Main Engines</b>	1 x Wichman 4 AXA, 1007 kW/ 1,350BHP/ 1400 IHP @ 375 rpm
<b>Main Propulsion</b>	1 Propeller (variable pitch) in Combined Nozzle Rudder
<b>Auxiliary Generators</b>	3 x Cummings 6BT 5.9 - 90 kW each, 220 V 50 HZ
<b>Bow Thrusters</b>	1 x Brunvoll Tunnel 75kw
<b>Stern Thruster</b>	1 x Celtic Hydraulic 107kw

## NAVIGATION EQUIPMENT

<b>Radars</b>	1 x Atlas Radar-pilot 1000 ARPA 1 x Kelvin Hughes 26" Radar, 12KW X-Band
<b>AIS</b>	STN Atlas DEBEG 3400
<b>Gyro Compass</b>	Anschutz STD 22
<b>Autopilot</b>	Anschutz Pilotstar D
<b>Echosounder</b>	Echograph 9205
<b>GPS</b>	1 x Trimble GPSNT 200 1 x MX Marine MX420 DPS
<b>Navtex</b>	JRC-NCR-300A
<b>Depth Recorder</b>	STN Atlas Echograph 9205

## ACCOMMODATION

<b>Total Accommodation</b>	18 bunks
<b>Other Facilities</b>	Survey Room - Dedicated 20 m <sup>2</sup> aft of the bridge area

## COMMUNICATION

<b>Primary</b>	V3- KVH (adaptable to client requirements)
<b>Secondary</b>	Iridium Open Port
<b>GMDSS</b>	As Per GMDSS A1, A2 and A3

T: +357 25 899000

[chartering@edtoffshore.com](mailto:chartering@edtoffshore.com)

\* While EDT strives to make the information on this document as accurate as possible, it makes no claims, promises, or guarantees about the accuracy, completeness, or adequacy of the contents and expressly disclaims liability for errors and omissions.

SPC-CHART-003 EDT Argonaut Specifications Sheet  
Revision 2.0  
Issue Date: 05.07.2019  
Document Owner: Chartering Manager

**Uncontrolled when printed or not viewed as the controlled online version.**