



# EDT Pitheas

Push/Pull 55 t - Azimuth Stern Drive (ASD) Tug Boat



Shipmanagement



<b>TYPE</b>	<b>AZIMUTH STERN DRIVE TUG BOAT</b>
<b>OWNER</b>	<b>SHELLEN SHIPPING LTD</b>
<b>OPERATOR</b>	<b>EDT SHIPMANAGEMENT LTD</b>
<b>YEAR BUILT</b>	<b>2000</b>
<b>FLAG</b>	<b>CYPRUS</b>
<b>CALL SIGN</b>	<b>5BHN5</b>

SPC-CHART-029 EDT Pitheas Specifications Sheet  
Revision 2.0  
Issue Date: 03.10.2019  
Document Owner: Chartering Manager

**Uncontrolled when printed or not viewed as the controlled online version.**



# EDT Pitheas

Push/Pull 55 t - Azimuth Stern Drive (ASD) Tug Boat



Shipmanagement

## GENERAL INFORMATION

Classification	LRS A100 LMC, UMS, Fire Boat
IMO Number	9191814
MMSI Number	209686000
Operation	Eastern Mediterranean and Red Sea
Endurance	45 days
Maximum Speed	About 13.3 knots

## DIMENSIONS

Gross Tonnage	478
Net Tonnage	143
Deadweight	164
Length Overall	32 m
Breadth Moulded	10.50 m
Depth to Main Deck	5.80 m
Draft	4.70 m
Freeboard Max Draft	1.10 m

## TANK CAPACITIES & DISCHARGE RATES

Marine Diesel	155.42 t	Discharge rate 15 m <sup>3</sup> per hour
Fresh Water	50.5 t	Discharge rate 20 m <sup>3</sup> per hour
Ballast	155.88 t	
Dirty Oil	6.6 t	
Lube Oil	18.68 t	
Foam	11.93 t	

## DECK CAPACITY

Deck Space / Cargo Capacity	82 sq. m / 36.51 t
Deck Load	2.5 tons per m <sup>2</sup>
Deck Area	82 m <sup>2</sup>
Reefer Sockets	1

## DECK EQUIPMENT

Deck Crane	Effer Marine - 1.2 T @ 14.5m
Fore Towing Winch	55t Windlass / Towing Winch with Capstan Ulstein Brattvaag
Aft Towing Winch	55t Towing Winch with Capstan Ulstein Brattvaag

SPC-CHART-029 EDT Pitheas Specifications Sheet  
Revision 2.0  
Issue Date: 03.10.2019  
Document Owner: Chartering Manager

**Uncontrolled when printed or not viewed as the controlled online version.**



# EDT Pitheas

Push/Pull 55 t - Azimuth Stern Drive (ASD) Tug Boat



Shipmanagement

## PROPULSION / MACHINERY

Main Engines	2 x Ulstein Bergen 1780 KW @ 825 RPM each
Main Propellers	2 x Azimuth Propulsion Thrusters Ulstein Compass Thruster with CPP Propellers
Auxiliary Generators	2 x Caterpillar 3406 229 KW @ 1500 RPM each
Bollard Pull	55 t

## NAVIGATION EQUIPMENT

Radars	1 x Furuno RDP 149
Navtex Receiver	1 x JRC NCR 300A
Auto Pilot	1 x Anschutz PilotstarD
GPS	1 x Furuno GP-33
Echo Sounder	1 x Ninglu DS2008
Gyros Compass	1 x Anschutz STD22

## FIRE FIGHTING

Pumps	2 x Ingersall Dresser Pumps—600 m <sup>3</sup> per hour @ 134 m
FiFi Monitors	2 x Counterfire Ltd Monitors— 600 m <sup>3</sup> per hour @ 13.5 bar

## ACCOMMODATION

Accommodation	8 bunks
---------------	---------

## COMMUNICATION

GMDSS	According to GMDSS requirements for areas A1 and A2
-------	---

T: +357 25 899000

[chartering@edtoffshore.com](mailto:chartering@edtoffshore.com)

*\* While EDT strives to make the information on this document as accurate as possible, it makes no claims, promises, or guarantees about the accuracy, completeness, or adequacy of the contents and expressly disclaims liability for errors and omissions.*

SPC-CHART-029 EDT Pitheas Specifications Sheet  
Revision 2.0  
Issue Date: 03.10.2019  
Document Owner: Chartering Manager

**Uncontrolled when printed or not viewed as the controlled online version.**