

# EDT Prometheus

DPII Multi-Purpose Support Vessel (MPSV) ROV READY



Shipmanagement



TYPE	DPII MULTI-PURPOSE SUPPORT VESSEL (MPSV)
DESIGN	ULSTEIN P 105 EXTENDED
OWNER	INNER SEA SHIPPING LTD
OPERATOR	EDT SHIPMANAGEMENT LTD
BUILT	2005, ULSTEINVERFT AS, NORWAY
FLAG	LIBERIA
CALL SIGN	5LPL4

SP-CHR-038 EDT Prometheus Specifications Sheet  
Revision 19.0  
Issue Date: 12.02.2026  
Document Owner: Chartering

**Uncontrolled when printed or not viewed as the controlled online version.**

# EDT Prometheus



Shipmanagement

## DPII Multi-Purpose Support Vessel (MPSV) ROV READY

### GENERAL INFORMATION

<b>Classification</b>	DNV  1A1 Fire Fighter Supply Vessel Clean COMF(V-3) DK(+) DYNPOS (AUTR) E0 HELDK(S,H) HL(2,5) LFL (*) OILREC SF SPS & IP Code Certified
<b>IMO Number</b>	9339428
<b>MMSI Number</b>	210157000
<b>Operation</b>	World Wide
<b>Endurance</b>	45 days plus
<b>Maximum Speed</b>	About 15 knots

### DIMENSIONS

<b>Gross Tonnage</b>	4667 t	<b>Breadth Moulded</b>	19.0 m
<b>Net Tonnage</b>	1401	<b>Depth to Main Deck</b>	8.0 m
<b>Deadweight</b>	3459.2 t	<b>Draft</b>	6.0 m
<b>Length Overall</b>	91.1 m	<b>Freeboard max draft</b>	1.5 m
<b>Minimum water depth</b>	8m (DP1 operations in calm sea conditions)	<b>Minimum water depth</b>	11m (DP2 operations in calm sea conditions)

### TANK CAPACITIES (@95%) & DISCHARGE RATES

<b>Marine Diesel</b>	882 m <sup>3</sup>	2 pumps @ 250 m <sup>3</sup> / hour each
<b>Fresh Water</b>	986 m <sup>3</sup>	2 pumps @ 250 m <sup>3</sup> / hour each (water maker production: 15t/day)
<b>Ballast / Drill Water</b>	867 m <sup>3</sup>	2 pumps @ 250 m <sup>3</sup> / hour each
<b>Liquid Mud—Combined with brine</b>	1065 m <sup>3</sup> / 210m <sup>3</sup>	4 pumps @ 100 m <sup>3</sup> / hour each
<b>Brine - combined with mud</b>	213 m <sup>3</sup> / 210m <sup>3</sup>	2 pumps @ 100 m <sup>3</sup> / hour each
<b>Dry Bulk (8 tanks)</b>	384 m <sup>3</sup>	2 BHS Compressor Capacity 2 x 30 m <sup>3</sup> / min @ 6 bar
<b>LFL (4 tanks)</b>	167 m <sup>3</sup>	2 pumps @ 100 m <sup>3</sup> / hour each
<b>Base Oil</b>	386 m <sup>3</sup>	1 pump @ 150 m <sup>3</sup> / hour
<b>Special Products</b>	211m <sup>3</sup>	2 pumps @ 100 m <sup>3</sup> / hour

### DP SYSTEM

<b>DP System</b>	Kongsberg K-POS 21
<b>Notation</b>	Class II DNV Notation: DYNPOS (Autr)
<b>Portable Joystick</b>	4 x M 50
<b>DGPS Reference systems</b>	1 x CNAV X1 1 x Fugro Seastar 9410-AUT 1 x CNAV X3
<b>Laser Reference System</b>	1 x MDL Fanbeam
<b>USBL</b>	HiPAP Kongsberg 502
<b>Radius</b>	Kongsberg Radius 2000
<b>LTW</b>	Bandak MK 16
<b>Gyros</b>	3 x Anschutz Standard 22

### HELIDECK

<b>Helideck</b>	D=21m t=12,8 Bell 214 ST & Super Puma AS 332L / L1 Sikorsky S-92
<b>Helideck Monitoring System</b>	Observator HMS 3.1

SP-CHR-038 EDT Prometheus Specifications Sheet  
Revision 19.0  
Issue Date: 12.02.2026  
Document Owner: Chartering

**Uncontrolled when printed or not viewed as the controlled online version.**

# EDT Prometheus



Shipmanagement

## DPII Multi-Purpose Support Vessel (MPSV) ROV READY

### DECK EQUIPMENT

<b>Deck Load</b>	Main Deck @ 10t/m <sup>2</sup> , B Deck @ 1t/ m <sup>2</sup> , Mezzanine Deck @ 2t/m <sup>2</sup>
<b>Deck Area</b>	Main Deck 704.5m <sup>2</sup> , B Deck 90m <sup>2</sup> Mezzanine Deck @ 106,4m <sup>2</sup>
<b>Main Crane—NOV fully AHC</b>	Main line Double Fall - 110t / Offshore Single Fall 90t AHC @ 12.0m (with 1700m wire) Whip line - 10 @ 34.0 m (2060 m wire)
<b>Work / Provision Cranes</b>	10 t @ 10 m / 3 t @ 10 m
<b>Tugger Winch</b>	1 x 15t, 1 x 20t t pull
<b>Capstan</b>	2 x 10T
<b>Electrical Power on Deck</b>	440V / 230V / 60Hz

### PROPULSION & MACHINERY

<b>Main Engines</b>	4 x Caterpillar 3516 TA - 1,825kW @1800 rpm
<b>Generators</b>	4 x AVK, DSG 86 M1-4 w
<b>Main Propellers</b>	2 x Rolls Royce Azipull thrusters AZP 120
<b>Emergency Generator</b>	1 x Caterpillar 3406TA, 277BkW/1800RPM, 250EkW/440V/60Hz
<b>Bow Thrusters</b>	2 x Kamewa Ulstein TT 2200 DNP-CP, 241 rpm 883 kW 1 x Ulstein Aquamaster TCNS 73/50-180, 883 kW
<b>Total Electrical Power</b>	7,300 kW

### NAVIGATION

<b>Radars</b>	2 x Furuno (1 S-Band FCR 2837S + 1 X-Band FAR 2827)
<b>AIS</b>	Furuno
<b>Auto Pilot</b>	Anchulz pilotstar D
<b>Echosounder</b>	Furuno FE-700
<b>Speed Log</b>	Furuno DS-80 doppler log
<b>ECDIS</b>	Furuno FMD 3100/B
<b>Doppler Log</b>	Furuno DS-80

### ACCOMMODATION

<b>Total Accommodation</b>	74 bunks 16 bunks in TLQs - ( Based on flag authorization on case by case basis)
<b>Client Facilities</b>	Project office, Client Office and Conference room
<b>Other Facilities</b>	Mess room, Rec Room, Offices, Hospital, Laundry, Galley, Workshop, Gym
<b>Incinerator</b>	Installed

### COMMUNICATION

<b>Primary</b>	Starlink 1 TB / 5TB
<b>Secondary</b>	KVH
<b>GMDSS</b>	GMDSS A1, A2 and A3

T: +357 25 899000

[chartering@edtoffshore.com](mailto:chartering@edtoffshore.com)

*\* While EDT strives to make the information on this document as accurate as possible, it makes no claims, promises, or guarantees about the accuracy, completeness, or adequacy of the contents and expressly disclaims liability for errors and omissions.*

SP-CHR-038 EDT Prometheus Specifications Sheet  
Revision 19.0  
Issue Date: 12.02.2026  
Document Owner: Chartering

**Uncontrolled when printed or not viewed as the controlled online version.**