



# EDT Hercules

DPII Multi-Purpose Support Vessel (MPSV)



Shipmanagement



TYPE	DPII MULTI-PURPOSE SUPPORT VESSEL (MPSV)
DESIGN	ULSTEIN X-BOW PX 105
OWNER	FOKIDA SHIPPING COMPANY LIMITED
OPERATOR	EDT SHIPMANAGEMENT LTD
BUILT	2014, CONSTRUCCIONES NAVALES DEL NORTE
FLAG	CYPRUS
CALL SIGN	5BAM4

SP-CHR-005 EDT Hercules Specifications Sheet  
Revision 11.0  
Issue Date: 07.05.2026  
Document Owner: Chartering

**Uncontrolled when printed or not viewed as the controlled online version.**



# EDT Hercules

DPII Multi-Purpose Support Vessel (MPSV)



Shipmanagement

## GENERAL INFORMATION

<b>Classification</b>	DNV +1A1 CLEAN (DESIGN) COMF-V(3) CRANE DK(+) DYNPOS-AUTR E0 HL(2.8) ICE-C LFL (*) NAUT-OSV(A) SF SPS & IP Code Certified
<b>IMO Number</b>	9491422
<b>MMSI Number</b>	210776000
<b>Operation</b>	World Wide
<b>Endurance</b>	45 days plus
<b>Maximum Speed</b>	About 15 knots

## DIMENSIONS

<b>Gross Tonnage</b>	4964	<b>Breadth Moulded</b>	19.0 m
<b>Net Tonnage</b>	1490	<b>Depth to Main Deck</b>	8.0 m
<b>Deadweight</b>	3625.2 t	<b>Draft</b>	6.6 m
<b>Length Overall</b>	88.8 m	<b>Freeboard max draft</b>	1.4 m
<b>Minimum water depth</b>	8m (DP1 operations in calm sea conditions)	<b>Minimum water depth</b>	11m (DP2 operations in calm sea conditions)

## TANK CAPACITIES (@95%) & DISCHARGE RATES

<b>Marine Diesel</b>	1049.69 m <sup>3</sup>	2 pumps @ 50-250 m <sup>3</sup> / hour each
<b>Fresh Water</b>	970 m <sup>3</sup>	2 pumps @ 250 m <sup>3</sup> / hour each
<b>Ballast / Drill Water</b>	1795.77 m <sup>3</sup>	2 pumps @ 250 m <sup>3</sup> / hour each
<b>Liquid Mud</b>	569 m <sup>3</sup>	2 pumps @ 100 m <sup>3</sup> / hour each
<b>Brine (MEG) (SG 2.8)</b>	468.48 m <sup>3</sup>	2 pumps @ 75-125 m <sup>3</sup> / hour each (Depending on Density)
<b>Dry Bulk (6 tanks)</b>	388 m <sup>3</sup>	1 Duplex BHS Compressor Capacity 2 x 30 m <sup>3</sup> / min @ 5.6 bar
<b>LFL (4 tanks)</b>	283 m <sup>3</sup>	4 pumps @ 100 m <sup>3</sup> / hour each
<b>Base Oil</b>	217 m <sup>3</sup>	1 pump @ 150 m <sup>3</sup> / hour
<b>Foam</b>	400 litres	

## DP SYSTEM

<b>DP System</b>	Kongsberg K- POS DP-21
<b>Notation</b>	Class II DNV Notation: DYNPOS (Autr)
<b>Portable Joystick</b>	C-Joy Kongsberg
<b>DGPS Reference systems</b>	2 x CNAV X1
<b>Laser Reference System</b>	1 x Kongsberg CyScan
<b>Radius</b>	Kongsberg Radius 2000
<b>USBL</b>	HiPAP Kongsberg 502 HiPAP Kongsberg 501
<b>Taut Wire</b>	Bandak LTW MK15B
<b>Gyros</b>	3 x Anschutz Standard 22

SP-CHR-005 EDT Hercules Specifications Sheet  
Revision 11.0  
Issue Date: 07.05.2026  
Document Owner: Chartering

**Uncontrolled when printed or not viewed as the controlled online version.**



# EDT Hercules

DPII Multi-Purpose Support Vessel (MPSV)



Shipmanagement

## DECK EQUIPMENT

<b>Deck Load</b>	1430 t @ 10t/m <sup>2</sup>
<b>Deck Area</b>	608 m <sup>2</sup> Clear Deck (38.00 m x 16.00 m)
<b>Main Crane - fully AHC</b>	Main line - 100 t AHC @ 15.0 m (with 2000 m wire) Whip line – 10 t AHC @ 34.0 m (450 m wire) (personnel lift)
<b>Provision Crane</b>	2 t @ 17 m
<b>Tugger Winch</b>	1 x 10 t pull
<b>Capstan</b>	2 x 10 t pull @ 25 m/min
<b>2 x ROV Hangars</b>	5.6 L x 8.9 B x 10.9 H (each)
<b>Electrical Power on Deck</b>	440V / 230V / 60Hz

## PROPULSION & MACHINERY

<b>Main Engines—Generators</b>	4 x Wartsila 9L20
<b>Main Propellers</b>	2 x Schottel SCD 2020 Azimuth @ 2,500 kW each
<b>Auxiliary Generators</b>	2 x Cummins 300 ekW each
<b>Emergency Generator</b>	1 x Cummins 150 ekW
<b>Bow Thrusters</b>	1 x Brunvoll Tunnel @ 1,200 kW 1 x Brunvoll Retractable Azimuth @ 850 kW
<b>Total Electrical Power</b>	4 x 1580 ekW

## NAVIGATION

<b>Radars</b>	2 x Sam Electronics (1 X S-Band + 1 x X-Band)
<b>AIS</b>	SAM ELECTRONICS AIS 3410
<b>Gyro Compass</b>	3 x Anschutz Standard 22
<b>Track Pilot</b>	Sam Electronics 1100
<b>Echosounder</b>	Furuno Navigational FE – 700
<b>Speed Log</b>	Furuno DOPPLER LOG DS80
<b>Chart Pilot</b>	Sam Electronics 1100
<b>Doppler Log</b>	Furuno DS-80

## ACCOMMODATION

<b>Total Accommodation</b>	73 bunks
<b>Client Facilities</b>	Project office, Offline room, ROV Control room, client and conference room.
<b>Other Facilities</b>	Mess room, recreation rooms (2), changing room, gym and sauna.
<b>Incinerator</b>	Installed

## COMMUNICATION

<b>Primary</b>	Starlink
<b>Secondary</b>	KVH
<b>GMDSS</b>	GMDSS A1, A2 and A3

[chartering@edtoffshore.com](mailto:chartering@edtoffshore.com)

[T: +357 25 899000](tel:+35725899000)

All vessel particulars, specifications, drawings and related information are provided for general reference only and are based on information available at the time of issuance. While reasonable care has been taken, Owners/Managers make no representations or warranties, express or implied, as to the accuracy, completeness or current validity of such information, and expressly disclaim liability for any errors or omissions. The information does not constitute a guarantee of the vessel's present condition or performance. Any reliance is at the Charterer's sole risk, and Charterers are responsible for verifying all particulars prior to fixture.

SP-CHR-005 EDT Hercules Specifications Sheet  
Revision 11.0  
Issue Date: 07.05.2026  
Document Owner: Chartering

**Uncontrolled when printed or not viewed as the controlled online version.**